



# VETSOL

**VETSOL**

is driven by a  
singular purpose to  
caring humankind by  
advancing care  
for animals



## FLUNIXSHOT™ Inj

30 ml & 100 ml

**Composition:** Enrofloxacin 150mg  
Flunixin Meglumine 83 mg

**Indications:** respiratory infections, mastitis-acute or chronic, urogenital infections, post-surgical management.

**Dosage:** 1ml for 25kg body weight in large animals once a day - Repeat 12 hourly in severe infections.



## AVCEF Inj

3 gm & 4 gm

**Composition:** Ceftriaxone Sodium 4gm

**Indications:** Mastitis, Respiratory tract infections Urogenital tract infections, Meningitis Pre and post-surgical management.

**Dosage:** 10mg/kg b.w by IM or IV route for 3-5 days or as directed by registered veterinarian.



## PENCURE Inj

48 L

**Composition:** Long-Acting Triple Penicillin Inj Each ml contains: Penicillin G Benzathine sterile IP 2400000 IU Penicillin G Procaine sterile IP 1200000 IU Penicillin G Sodium sterile IP 1200000 IU

Acute Mastitis Bronchitis, Calf diphtheria & Naval ill Anthrax & BQ, Nephritis & Cystitis, Wound, Abscesses & Foot-Rot Infections following Parturition Surgical Operations.

**Dosage: Large Animals:** 11000 to 22000 IU/kg b.w

**Small Animals:** 300000 to 600000 IU IM route once in 3 to 4 days. as directed by registered veterinarian.



## AVCEF TAZO Inj

4.5 gm & 562.56 gm

**Composition:** Ceftriaxone Sodium 4gm & Tazobactam Sodium 500 mg

**Indications:** Mastitis, respiratory tract infections urogenital tract infections, meningitis pre and post-surgical management.

**Dosage:** 10mg/kg b.w by IM or IV route for 3-5 days or as directed by registered veterinarian.



## VETSMOX™ Inj

30 ml & 50 ml

**Composition: Active Ingredient:** Amoxicillin Trihydrate  
**Concentration:** Typically 150 mg per ml (15% solution), Vetmox suspension for intramuscular (IM) injection

**Indications:** Used to treat infections caused by Gram-positive and Gram-negative bacteria, including:

- Respiratory tract infections (e.g., pneumonia)
- Gastrointestinal infections (e.g., enteritis)
- Urinary tract infections
- Skin and soft tissue infections
- Mastitis and metritis (in non-lactating animals),
- Blue tongue, FMD

**Dosage:** As directed by registered veterinarian



## AV CEF - SB

375 mg

**Composition :**

Ceftriaxone 250mg & Sulbactam sodium 125 mg

**Indications :** Mastitis, footrot, Respiratory, skin gastrointestinal and urinary infections.

**Dosage:** 5 to 10 mg/kg IM & IV as directed by the veterinarian



## TOLISIDE-P Inj

30 ml & 100 ml

**Composition:** Tolfenamic Acid: 40 mg/ml  
Paracetamol (Acetaminophen): 150 mg/ml

**Indications:** This combination offers synergistic anti-inflammatory, analgesic, and antipyretic effects, suitable for:

- Fever due to bacterial or viral infections
- Musculoskeletal pain and inflammation
- Mastitis, metritis, and agalactia syndrome
- Respiratory tract infections
- Post-operative pain management

**Dosage:** as directed by registered veterinarian.



## IVCET Inj

10 ml & 100 ml

**Composition:** Ivermectin IP 31.5mg

**Indications:** Helps to treatment of liver fluke and endoparasites like gastrointestinal and pulmonary nematodes, eye worms, skin and muscle worms and ectoparasites like ticks, mites, lice, and grubs. As directed by registered veterinarian.

**Dosage:** 1 ml per 50 kg BW, SC only or as directed by registered veterinarian.



## ICURE™ Inj

30 ml & 100 ml

**Composition:** Each ml contains Meloxicam 100mg, Paracetamol 150mg, Benzyl Alcohol 1% w/v.

**Indications:** All pyretic conditions like pyrexia of unknown origin, ephemeral fever.

**Dosage:** 15ml per 300kg b.w, IM, IV or SC or as directed by registered veterinarian.



## INFLATE™ Suspension

150 ml

**Composition:** Each 5ml contains Liquid Paraffin IP 1.25ml, Milk of Magnesia 3.75ml, Sodium Picosulfate 3.33mg.

**Indications:** Simple indigestion for sheep & goat and large animals, bloat, ruminal acidosis, ruminal impaction.

**Dosage: Small & Large animals:** 1 ml for 1 kg BW or as directed by registered veterinarian.



## FLUNIXSHOT™ PLUS Inj

20 ml & 100 ml

**Composition:** Flunixin Meglumine 83.3 mg, Pitofenone HCL 2 mg, Fempiverinium Bromide 0.02 mg, and Paracetamol 150 mg.

**Indications:** Control of pyrexia (fever) and inflammation related to conditions like mastitis, metritis, respiratory diseases (such as pneumonia), endotoxemia (septicemia), bloat, and musculoskeletal pain.

**Dosage:** as directed by registered veterinarian.



## ICURE™ Spray

100 ml

**Composition:** Turpentine Oil, Neem Oil, Karanj Oil, Tailapatra Oil, Haridra Oils Camphor Oil, Excipients & Propellant.

**Indications:** All types of wounds like Deep seated wounds, maggoted wounds, surgical wounds, cuts, dermatomycosis. External spray only for Animals.

**Dosage:** as directed by registered veterinarian.



## NICLOBIN™ ORAL

500 ml & 1 L

### Composition:

Niclosamide I.P 500 mg Albendazole I.P 150 mg

**Indications:** For treatment and control of immature and mature amphistomes, tape worms and round worm in liver.

**Dosage:** For sheep and goat 10ml/15 kg BW as directed by registered veterinarian



## I VECT ORAL™

500 ml & 1 L

### Composition:

Ivermectin I.P. 0.1% w/v

**Indications :** For the treatment and control of gastrointestinal nematodes, roundworms, lungworms of sheep and goats.

**Dosage:** Sheep & goat 2.5ml for 10kg as directed by the veterinarian.



## VCLOWORM™

250 ml, 500 ml & 1 L

### Composition:

Closantel 50 mg & Ivermectin I.P 2mg

**Indications:** Vcloworm is for used in the treatment and control of Fasciola species GI Nematodes. pulmonary nematodes and also endo and ecto parasites in sheep & Goat.

**Dosage:** 2 ml for 10 kg BW by oral or as directed by registered veterinarian.



## IVECT - R

500 ml & 1 L

### Composition:

Rafoxanide 3.0% + Ivermectin 0.1% oral suspension for sheep.

**Indications:** This combination is a broad-spectrum anthelmintic used for the treatment and control of: **Internal parasites:** Fasciola spp. (liver flukes – mature and immature).

- Haemonchus, Bonostomus, Ostertagia, Strongylus (gastrointestinal nematodes).

- Lungworms, Eyeworms, Skinworms, Heartworm

**External parasites:** Nasal bots, Fly maggots, Oestrus ovis.

**Dosage in Sheep :** 1 ml per 4 kg body weight, administered orally or as directed by the veterinarian.



## TRICLOBIN™ ORAL

250 ml, 500 ml & 1 L

### Composition:

Triclobendazole 50 mg & Ivermectin 1 mg

**Indications:** For treatment of internal and external parasites.

**Dosage:** 3 ml for 10 kg BW Or as directed by registered veterinarian.



## DORANIL™ BOLUS

100 mg

**Composition :** Doramectin Bolus 100mg

**Indications :** Sucking lice and Mites, Roundworms, Eyeworms and Grubs.

### Dosage:

100 mg for 300 kg BW or as directed by registered veterinarian.



## FENSAVE-I

3.1 gm

**Composition :** Fenbendazole 3gm & Ivermectin Bolus 100mg

**Indications :** - Gastrointestinal nematodes (roundworms) such as Haemonchus, Ostertagia, Trichostrongylus, Cooperia, Nematodirus.

• Lungworms causing verminous pneumonia and related respiratory issues. • Tapeworms • External parasites sensitive to ivermectin (lice, mange mites and other ectoparasites), hence labeled for both endoparasites and ectoparasites.

**Dosage :** One Bolus for 350 to 400 Kgs as directed by Veterinarian.



## VET™ BH / VET™ BHT 100/250/500 ml & 1 L

**Composition:** each ml contains Levofloxacin Hemihydrate I.P. 100 mg, Eq. to Levofloxacin, Tylosin Tartrate I.P. 10 mg, Bromhexine Hydrochloride I.P. 15mg

**Indications:** For the control and treatment of gastro intestinal and respiratory infections like enteritis, Infectious coryza, mycoplasmosis, salmonellosis, fowl cholera and colibacillosis.

**Dosage:** 1 ml per 4 kg body weight, administered orally. or as directed by the veterinarian.



## STOP D BOLUS

10 x 4 Bolus

**Composition:**

Norfloxacin 1200 mg and Tinidazole 1800 mg

**Indications:**

- Diarrhea & Dysentery Gastroenteritis
- Bacterial & Protozoal Infections Septicaemia
- Mixed infections in cattle, buffalo, sheep, goats & calves.

**Dosage:**

**Small animals:** 1 Bolus

**Large animals:** 2 Bolus

BID or as directed by registered veterinarian



## Z-VET

100 ml & 250 ml

**Composition:** Each ml contains: Azithromycin Dihydrate IP Eq to Anhydrous Azithromycin 40 mg

**Indications :** For the treatment of susceptible infection, such as CRD and Respiratory disease

**Dosage:** 10 mg per Kg body weight for 3-5 days drinking water or as directed by the veterinarian



## AVmast CNP 5gm


5 gm

**Composition:** Each 5gm contains :

Cephalexin 100mg, Neomycin 100 mg, Prednisolone 10mg

**Indications:** All stages of Mastitis 5gm.

**Dosage:** A dose of one syringe should be administered per affected quarter. The healthcare product must be administered with an intramammary injection using the standard aseptic procedures. Keep away from children. Tube As directed by the veterinarian.



## AV DOX -N

50 gm, 100 gm & 250 gm

**Composition :** Doxycycline Hydrochloride 100mg Neomycin Sulphate 100 mg

**Indications :** Prevention and treatment of complicated mixed bacterial infections in livestock and Poultry.

**Dosage: Sheep & Goat:** 2.5gm per 20kgs

**Poultry:** 1gm in 10L water for 100 birds As directed by the veterinarian.



## ALL CLEAR

**Composition:** Each ml contains Amitraz 125mg control of ticks, mites and lice.

**Large Animals:** 3 ml for 1 L of water or as directed by registered veterinarian.



15 ml & 50 ml

## ALL CLEAR SOAP

**Composition:** Permethrin 5% cetrimide 1% Aloe Vera gel 1%

**Indications:** Ectoparasitosis in large animals, sheep & goat and dogs.



75 gm, 150 gm

## AV LIVER

250ml, 500ml, 1L, 5L & 20L

Used to treat or prevent low blood levels of iron (such as those caused by anaemia or pregnancy), Iron is an important mineral that the body needs to produce red blood cells and keep animal in good health. In animals increase the liver cells and it contain Vit B12, folic acid and iron that helps. stimulate and maintain liver function:

**Dosage:** 10 to 15ml in sheep and goat. as directed by registered veterinarian.



## HERA FRESH

200 ml

**Composition:** Each ml contains: Cypermethrin BP 1% w/v, Aloe Vera, Tea Tree Oil & Conditioner Advantage.

**Indications:** Anti-tick wash for ectoparasitic infestations of ticks, fleas, lice, mites and flies.

**Dosage:** Rinse the coat thoroughly with warm water, apply sufficient shampoo around affected areas, rub thoroughly and allow to work for 5-10 minutes, rinse and repeat as needed, then pat dry and brush to remove dead parasites.



## V CAL GOLD

1L, 5L, 10L, 20L & 40L

**Composition:** Each ml contains: Calcium 6000mg, Phosphorus 3000mg, Vit D3 16000 IU, Vit B12 100mg, Vit A 100000 IU, Vit E 1500 IU, Biotin 20mg, Selenium 100mg, Choline Chloride 1000mg, Copper 500mg, Chromium 350 mg, Zinc 1500mg, Herbal Extracts 7000 mg, Carbohydrate 25000 mg.

**Indications:** Improve milk production, helps to improve under immunity, overcome calcium and phosphorus deficiency and facilitate let down of milk, improve health status of animals.

**Dosage: Large Animals:** 100ml daily or as directed by registered veterinarian



## AV-TOX L

250 ml, 500 ml, 1 L & 5 L

**Composition:** Each 10ml contains: Tricholine citrate 100mg, Methionine 10mg, Liver Extract 50mg, Protein Hydrolysate 50mg, inositol 2mg & Vit B12.

**Indications:** Protective action against hepatic damage, Protects liver against drug induced hepatotoxicity, restores health & vigour, production & reproduction brings animals back to normal feed metabolism, Protects Liver.

**Dosage:** 10-15 ml for 25Kg B/W in cattle, sheep and goat. as directed by registered veterinarian.



## PROTIN AZ PLUS

250ml, 1L, 5L & 20L

**Composition:** Protin AZ is a blend ionic calcium, ionic phosphorus, rumen protected protein, propylene glycol, minerals and vitamins.

**Indications:** Improve milk production of animals, prevent and treat negative energy balance after parturition enhance growth of young animals, improve immunity and reproductive performance, stress conditions (Like transport stress, parturition stress), improve body weight in and sheep & goat.

**Sheep & Goat:**

15ml to 20ml for 5 days

**Large Animals:**

100 ml daily or as directed by registered veterinarian



## AVIT-H

100ml, 250ml, 500ml & 1L

Strengthen Udder tissues and muscles, improve immunity & prevent incidences of mastitis, optimize breeding performance in bulls, keep hooves & horns healthy, maintain shiny, healthy skin & prevent hair loss.

**Dosage: Cattle & Buffalo :** 10ml,

**Calf :** 5ml **Sheep & Goat :** 1-2ml

**Poultry :** Chicks 5ml for 100 birds,

**Growers :** 7ml for 100 Birds,

**Layers :** 10ml for 100 birds,

or as directed by registered veterinarian.



## VETSOL B Complex

500 ml, 1000 ml & 5L

**Composition:** Each 5 ml contains: Vitamin B1, Vitamin B2, Vitamin B6, D-Panthenol, Vitamin B12, Nicotinamide, Choline Chloride, L-Lysine Mono HCL, DL-Methionine.

**Dosage: Poultry:** 10–20 ml per 100 birds

daily in drinking water for 7–10

days per month, **Chicks:** 5–6 ml

per 100 birds daily, **Growers &**

**Broilers:** 8–10 ml per 100 birds,

**Layers & Breeders:** 10–15 ml

per 100 birds, **Sheep & Goat :**

10–20 ml per animal, **Lambs:**

5–10 ml per animal.



## VETSOL BOOST

250ml, 500ml & 1L

**Composition:** Gluconeogenic Precursors, Niacin, Manganese, Magnesium, Zinc, Chromium.

**Indications:** Cyanocobalamin, Blend of Essential Oils. Instant and sustained energy provider, faster energy recovers in energy deficient animals, instant energy availability during pregnancy, improve milk production and relives from negative energy balance.

**Dosage:** Daily 200 ml for 3 days or as directed by registered veterinarian.



## VET FERRIVIT

500ml, 1L & 5L

**Composition :** Each 100ml contains: Ferrous Ascorbate 4 gm, Folic Acid 60 mg, Zinc Sulphate 450 mg, Lycopene 40 mg, Vitamin A Palmitate 1700000 IU, Vitamin D3 50000 IU, Vitamin E Acetate 2gm, Vitamin-C 4gm, Other ingredients q.s.

**Indications :** Prevention of anemia, Improves the bone strength, fertility and estrous cycle in cattle, F.C.R & body weight in lambs & milk production, Reduces mortality & ascities problems in sheep & goat.

**Dosage:** 100 ml for large animals 15-20 ml for sheep & goats directed by registered veterinarian



## SPARKCAL PLUS

300 ml

**Composition :** Calcium 6600mg, phosphorus 3400mg, Vit D3 32000 IU, Vit B12 400mcg, Pueraria mirifica 2000mg, magnesium 1500mg, Calcium Propionate 2500 mg, Chromium 300 mg Base, q.s.

**Indications:** Prevent milk fever and associated complications, increase milk yield, helps in normal calving and timely expulsion of placenta, provide essential nutrients, helps in nerve and muscle function, helps in absorption of calcium and phosphorus, helps in metabolism.

**Dosage: Large animals :** 300 ml orally or as direct by veterinarian.



## ESTROMIN GOLD

1 kg & 25 kg

**Composition:** Combination of Vitamins, Chelated Minerals, Chromium, Omega 3 & 6 Fatty Acids, Probiotics.

**Indications:** To improve reproductive performance, better metabolism improves conception rate and maximizes milk quality and fat production.

**Dosage: Large Animals :** 50gm daily or as directed by registered veterinarian



## AV-BUFF

1 kg & 20 kg Bucket

**Composition:** Magnesium Oxide, Magnesium Carbonate, Sodium Bicarbonate, HSCAS, Thermostable Yeast, Liver Extract.

**Indications:** Sub-acute ruminal acidosis and acute acidosis, indigestion, stress and diarrhea, improves fibre digestibility and production.

**Dosage: Sheep & Goat :** 10 mg for 10 kg BW. As directed by the veterinarian.



## VET-7 ESSENTIAL OIL 70% Concentration 100 ml

**Composition:** Eucalyptus Oil, Cinnamon Bark Oil, Camphor Oil, Garlic Oil, Mentha Oil, Basil Oil, Lemon Grass Oil, Lavender Oil, Emulsifier Aqueous Base qs

**Indications:** Respiratory coughing and nasal discharge labored breathing: Vet Essential Oil with expectorant anti-inflammatory properties alleviate respiratory distress improving breathing in affected sheep.

**Dosage:** Sheep & Goat 1 ml for 25 kg of body weight to be administered for 3-5 days or as directed by the veterinarian.



## VET MILK PLUS

500 gms

**Composition:** Phytochemically Active, Asparagus Racemosus, Leptadenia Reticulata, Vitamin & Glycine Chelated Minerals.

**Indications:** Recovers post mastitis & metritis milk drop & allied problems recovery from exogenous oxytocin dependency improves milk yield & fat content for long duration improves calcium levels support milk letdown recovers post parturition drop in milk improves lactation.

**Dosage: Large Animals:** Daily 50 gm for 10 days as directed by registered veterinarian.



## AV-TONE

1L & 5L

**Composition:** Each 10ml Contains: Liver Fraction: 1.25g, Yeast Extract 0.4g, Nicotinic Acid 24 mg, Ethanol(95%) 1ml, Excipients q.s.

**Indications: Sheep & Goat:** Anorexia, indigestion, poor growth or weight gain, liver dysfunction, convalescence after disease or drug therapy, and general debility where hepatic support and improved feed utilization are desired.

**Cattle:** Similar use for hepatic dysfunction, toxin overload (e.g., feed toxins), reduced feed intake, poor production, and during recovery or stress to aid digestion and metabolism.

**Dosage: Large Animals: Sheep & Goat:** 5-10 ml per animal once daily, **Cattle:** 40-50 ml per animal once daily orally; **Poultry:** Broiler daily 5-10 mL for 100 Birds 2nd to 6th week of age **Grower/Layers:** Daily 20ml/100 birds for 10days



# VETSOL

## Vetsol Health Care Private Limited

D. No. 8-6-842/C204, Road No. 6, Christian Colony  
Hastinapuram, Hyderabad, Telangana - 500 070.

Tel. : +91 40 3551 1029, sales@vetsolhealthcare.com

[www.vetsolhealthcare.com](http://www.vetsolhealthcare.com)